Influenza Weekly Report

2015 Week 47 (November 22 - 29) through 2016 Week 47 (November 20 - 26)

Department of Health and Human Services
Division of Public and Behavioral Health
Office of Public Health Informatics and Epidemiology



Brian Sandoval Governor State of Nevada

Richard Whitley, MS Director Department of Health and Human Services

Cody L. Phinney, MPH
Administrator
Division of Public and Behavioral Health

John DiMuro, DO, MBA
Chief Medical Officer
Division of Public and Behavioral Health

Data for the graphs and tables on the following pages are provisional and may be updated as additional information becomes available.


Purpose

The purpose of this report is to provide an overview of and statistics for the influenza season in Nevada for the local public health authorities, sentinel providers and the public.

Influenza-Like Illness Network Surveillance (ILINet)

Respiratory specimens are tested for influenza by the World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NRVESS) collaborating laboratories by sub-type. During week 47, there were 15,328 specimens collected and tested for influenza, of those 587 were positive (3.8%).


Figure 1



Source of Data: CDC: FluView Weekly Report.

The Nevada total includes laboratory tests for all Nevada residents including out of state laboratories. During week 47, there were 11 specimens collected and 2 were positive (18.2%).

Figure 2



Source of Data: CDC: ILINet.

Nevada State Public Health Laboratory (NSPHL) has tested 54 specimens for influenza from sentinel providers, of which there have been 38 were positive (70.4%). Southern Nevada Public Health Laboratory (SNPHL) has tested 20 specimens this season of which there have been 0 positives. Nationally, there have been 126,970 specimens sent to the WHO and NERVSS laboratories of which 3,454 have been positive or 2.7%. The national numbers in Table 1 are reflected in Figure 1. The state of Nevada data in Table 1 is reflected in Figure 2. The Nevada total includes laboratory test for all Nevada residents including out of state laboratories.


Table 1

ILINet Surveillance: Influenza Specimens Tested State and Nationally										
	NSPHL	SNPHL	State of Nevada (Week 47)		State of Nevada (Season)		National (Week 47)		National (Season)	
			#	%	#	%	#	%	#	%
Specimens Tested	54	20	11		136		15,328		126,970	
Positives to Influenza	38	0	2	18.2	46	28.8	587	3.8	3,454	2.7
<u>Influenza A:</u>	38	0	2	100	44	95.7	426	72.6	2,475	71.7
A (2009 H1N1)	5	0	1	50.0	6	13.6	2	0.5	65	2.6
A (H3)	33	0	0	0.00	34	77.3	31	7.3	731	29.5
A (Sub-typing not performed)	0	0	1	50.0	4	9.1	393	92.3	1,679	67.8
<u>Influenza B:</u>	0	0	0	0.0	2	4.3	161	27.4	979	28.3
B (Victoria Lineage)	0	0	0	0.0	0	0.0	0	0.0	34	2.1
B (Yamagata Lineage)	0	0	0	0.0	0	0.0	1	0.6	21	2.1
B (Sub-typing not performed)	0	0	0	0.0	2	100	160	99.4	924	94.4

Source of Data: CDC: FluView Report and CDC: ILINet.

Influenza-like Illness (ILI) Surveillance Network has each sentinel providers report the number of patients that meet the ILI case definition and number of patients that visit the provider weekly. The "percentage of visits" is the number of ILI patients divided by the total number of patients visit per week. Nevada's ILI percentage of visits to providers for week 47 is 1.9% and is above the state baseline 1.5%. Region 9 ILI percentage for week 47 is 1.1% and is below the region baseline 2.5%. Region 9 includes the following states/territory: Arizona, California, Guam, Hawaii, and Nevada. The national ILI percentage for week 47 is 1.8% and is below the national baseline 2.2%.


Figure 3



Source of Data: CDC: Flu View Report and CDC: ILINet.

During week 46, 0.9% of visits to sentinel providers were due to ILI; this is lower than the 2015-2016 influenza season (0.7%). There were 9,921 patients seen by ILI providers during week 46, of which 192 patients presented with ILI; week 47 of 2015, there were 143 patients seen with ILI (14,479 total patients seen).


Figure 4



Source of Data: CDC: ILINet.

Influenza-like Illness is reported by age groups, during week 47, patients age 5-24 were the greatest number of patients seen with ILI, at 73 patients seen. The rate for week 47 is 6.6 per 100,000 population. The rate is calculated by the number of patients presented with ILI, divided by the state population, multiplied by 100,000. The estimated state population for 2016 is 2,902,853.

Figure 5



Source of Data: CDC: ILINet.

Influenza Positive Surveillance (NBS and NETSS)


Positive cases of influenza are reported to the state health authority for surveillance purposes. Table 2 and Figure 6 reflect all positive influenza cases reported to the state. Types of influenza testing include commercial rapid diagnostic test (rapid), viral culture, fluorescent antibody, enzyme immunoassay, RT-PCR (PCR), and Immunohistochemistry. The two most common test types in Nevada are Rapid and PCR tests. During week 47, there were 197 influenza cases reported to the state, 177 influenza A, 3 influenza B and 17 unknown.

Table 2

	Reported Influenza Cases by County Jurisdiction and Influenza Type								
Reporting Jurisdiction	Current Week (Week 47)				Cumulative Influenza Season				
	A	В	Unknown	Total	A	В	Unknown	Total	
Carson City Health and Human Services	16	0	0	16	70	0	0	70	
Rural Community Health Services	14	0	3	17	112	5	7	124	
Southern Nevada Health District	35	2	1	35	149	14	8	171	
Washoe County Health District	115	1	13	129	389	13	37	439	
State of Nevada	177	3	17	197	720	32	52	804	

Source: OPHIE: NBS and SNHD: NETSS.

Figure 6



Source of Data: OPHIE: NBS and SNHD: NETSS.

Hospitalizations

There were 18 hospitalization associated with influenza reported to the state health authority for week 47.


Table 3

Influenza Hospitalizations								
Donouting Invigdiction	Current Weel	k (Week 47)	Cumulative Influenza Season					
Reporting Jurisdiction	#	%	#	%				
Carson City Health and Human Services	1	5.6	1	1.5				
Rural Community Health Services	0	0.0	0	0.0				
Southern Nevada Health District	5	27.8	23	35.4				
Washoe County Health District	12	66.7	41	63.1				
State of Nevada	18	100	65	100				

Source: Reported to Office of Public Health Informatics and Epidemiology from each Jurisdiction.

Pneumonia and Influenza (P&I) Mortality Surveillance

The Pneumonia and Influenza (P&I) mortality percentage is the deaths, where Pneumonia or Influenza is listed as the underlying or contributing cause of death, divided by the total deaths in Nevada for each week. As of December 6th, there were 30 P&I deaths and 321 total deaths for week 47 in Nevada. The P&I mortality percent for Nevada is above the threshold at 9.3%. Nationally, the P&I mortality is below the national epidemic threshold at 5.6% for week 45. Weeks 46 & 47 have not yet been published.



Source: OVR: WEVRRS and CDC: FluView.

Technical Notes

- Influenza-like illness (ILI): a fever greater than or equal 100°F with cough and/or sore throat
- Percent positive: The number of positive influenza laboratory tests divided by the total number of tests performed.
- Incidence rate is per 100,000 population as estimated by the state demographer.
- Data are subject to changes.

This report contains information from national and state-level data sources. Influenza surveillance data is collected by a various systems, including:

- Influenza-like Illness Network (ILINet): a sentinel surveillance system in collaboration with the Centers for the Disease Control and Prevention (CDC) where outpatient providers report ILI information weekly.
- National Electronic Telecommunication System for Surveillance (NETSS): a system whereby data is transmits to CDC. Influenza data collected through NETSS does not provide influenza sub-typing information.
- National Electronic Disease Surveillance System (NEDSS): a system for collecting data and monitoring disease trends and outbreaks.
- NEDSS Based System (NBS): an implementation of the NEDSS standards. It provides a secure, accurate, and efficient means of collecting, transmitting, and analyzing public health data.

Citations

- 1. CDC. FluView: A Weekly Influenza Surveillance Report. http://www.cdc.gov/flu/weekly/pastreports.htm.
- 2. Nevada State Demographer's Office. 2003-2020 ASRHO Estimates and Projections. Division of Public and Behavioral Health edition. Vintage 2015.
- 3. OPHIE. DPBS. BioSense. 2015-2016. Accessed December 2016.
- 4. OPHIE. DPBH. NBS. 2015-2016. Accessed December 2016.
- 5. Office of Vital Records (OVR). DPBH. Web Enabled Vital Records Registry System (WEVRRS) [unpublished data]. 2015-2016. Accessed December 2016.
- 6. Southern Nevada Health District (SNHD). NETSS/Trisano. 2015-2016. Accessed December 2016.

Comments, suggestions, and requests for further information may be addressed to:

NEVADA INFLUENZA SURVEILLANCE PROGRAM
OFFICE OF PUBLIC HEALTH INFORMATICS AND EPIDEMIOLOGY
500 DAMONTE RANCH PKWY, STE 657
RENO, NV 89521
TEL: (775) 684-5289

Tel: (775) 684-5289 Fax: (775) 684-5999

Compiled and Written by:

LILIANA E. WILBERT, MPH

Recommended Citation:

Division of Public and Behavioral Health. Office of Public Health Informatics and Epidemiology. Influenza Weekly Report, 2015 Week 47 (November 22) through 2016 Week 47 (November 26), Nevada. December 2016 i 47 edition 1.0.

This publication was supported by Cooperative Agreement Number TP000534-02 from the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response.

